



F.No. Western/1-401851433/2011/EOA

Date: 01-09-2011

To,  
The Secretary,  
Tech. & Higher Education Deptt.  
Govt. of Maharashtra, Mantralaya,  
Annexe Building, Mumbai-400032

Sub: Extension of approval for the academic year 2011-12.  
Ref: Application of the Institution for Extension of Approval for the Year 2011-12

Sir/Madam,

In terms of the Regulations notified by the Council vide F.No. 37-3/Legal/2011 dated 10/12/2010 and norms, standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the extension of approval of the Council to

Regional Office	Western	Application Id	1-401851433
		Permanent Id	1-6138871
Name of the Institute	GODAVARI COLLEGE OF ENGINEERING	Institute Address	PLOT NO. P-51, ADDL MIDC, BHUSAWAL ROAD, DR. ULHAS PATIL NAGAR,,JALGAON,JALGAON,Maharashtra,425003
Name of the Society/Trust	GODAVARI FOUNDATION	Society/Trust Address	OPP. GODAVARI HOSPITAL, M.J. COLLEGE ROAD, NR. BHASKAR MARKET,JALGAON,JALGAON,Maharashtra,425001
Institute Type	Unaided - Private		

to conduct following courses with the intake indicated below for the academic year 2011-12

Application Id: 1-401851433			Course		Affiliating Body	Intake 2010-11	Intake Approved for 11-12	NRI	PIO	Foreign Collaboration
Program	Shift	Level		Full/Part Time						
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUATE	ELECTRONICS AND TELECOMMUNICATIONS ENGINEERING	FULL TIME	North Maharashtra University, Jalgaon	90	90	No	No	No
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUATE	MECHANICAL ENGINEERING	FULL TIME	North Maharashtra University, Jalgaon	60	60	No	No	No
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUATE	COMPUTER ENGINEERING	FULL TIME	North Maharashtra University, Jalgaon	120	120	No	No	No



Application Id: 1-401851433			Course	Full/Part Time	Affiliating Body	Intake 2010-11	Intake Approved for 11-12	NRI	PIO	Foreign Collaboration
Program	Shift	Level								
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUATE	INFORMATION TECHNOLOGY	FULL TIME	North Maharashtra University, Jalgaon	30	30	No	No	No
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUATE	ELECTRICAL ENGINEERING	FULL TIME	North Maharashtra University, Jalgaon	60	60	No	No	No
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADUATE	VLSI AND EMBEDDED SYSTEMS DESIGN	FULL TIME	North Maharashtra University, Jalgaon	0	18	No	No	No

The above mentioned approval is subject to the condition that GODAVARI COLLEGE OF ENGINEERING shall follow and adhere to the Regulations, guidelines and directions issued by AICTE from time to time and the undertaking / affidavit given by the institution along with the application submitted by the institution on portal.

In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Strict compliance of Anti-Ragging Regulation:- Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 37-3/Legal/AICTE/2009 dated July 1, 2009 for Prevention and Prohibition of Ragging in Technical Institutions. In case Institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(4) of the said Regulation.

(Dr. K P Isaac)

Member Secretary, AICTE

Copy to:

1. **The Regional Officer,**  
All India Council for Technical Education



- Industrial Assurance Building  
2nd Floor, Nariman Road  
Mumbai - 400 020, Maharashtra
2. **The Director Of Technical Education,**  
Maharashtra
  3. **The Registrar,**  
North Maharashtra University, Jalgaon
  4. **The Principal / Director,**  
GODAVARI COLLEGE OF ENGINEERING  
PLOT NO. P-51, ADDL MIDC, BHUSAWAL ROAD, DR. ULHAS PATIL NAGAR,,  
JALGAON, JALGAON,  
Maharashtra, 425003
  5. **The Secretary / Chairman,**  
GODAVARI FOUNDATION  
OPP. GODAVARI HOSPITAL, M.J. COLLEGE ROAD, NR. BHASKAR MARKET,  
JALGAON, JALGAON,  
Maharashtra, 425001
  6. **Guard File(AICTE)**

